

Haymes

WOODCARE



EXTERIOR & INTERIOR PRODUCT GUIDE

SELECT THE RIGHT PRODUCT FOR YOUR PROJECT

Finding the right product for your project is vital. Whether you're looking for durability, quick dry or easy clean-up there is a Woodcare product for you. If you're still unsure of the best product for you, speak with your Woodcare expert at your local Haymes stockist. Visit haymespaint.com.au to find a stockist near you.

EXTERIOR	UVEX	Dexpress	Decking Oil	Exterior Varnish
Use on	Decking, cladding and weatherboards, outdoor furniture, doors and window frames, stairs and walkways, pergolas and screens			Use on doors, windows, furniture and trim
Finish	Satin	Low Sheen	Matt	High Gloss
Number of Coats	3	2	2-3	3
Recoat (at 25°C and 50% humidity)	2 Hours	2 Hours	6 Hours	16 Hours
Clean up	Water	Water	Mineral Turps	Mineral Turps
Preparation Products	Rapid Prep / Wood Cleaner, Uvex Primer	Rapid Prep / Wood Cleaner	Rapid Prep / Wood Cleaner	180 grit sand paper
Durability Scale	★★★★	★★★	★★	★★★

When choosing the right product for your interior project, whether it be flooring, or furniture, wood panelling or benchtops, many things should be taken into consideration, particularly finish and durability.

INTERIOR FLOORING	Easy Floor	Aqualac Floor	Tung Oil Finish
Use on	Flooring, stairs, furniture, doors and window frames, wall panelling, trim and benchtops		
Finish	Satin or High Gloss	Satin or Gloss	Satin Lustre
Number of Coats	3	3	3
Recoat (at 25°C and 50% humidity)	16 Hours	3 Hours	16 Hours
Clean up	Mineral Turps	Water	Mineral Turps
Odour	Medium	Minimal	Medium
Durability Scale	★★★★	★★★	★★★

INTERIOR CLEARS	Interior Varnish	Aqualac Clear
Use on	Furniture, doors and window frames, wall panelling and trim	
Finish	Satin or High Gloss	Satin or Gloss
Number of Coats	2-3	2-3
Recoat (at 25°C and 50% humidity)	8 Hours	3 Hours
Clean up	Mineral Turps	Water
Odour	Medium	Minimal
Durability Scale	★★★★★	★★★

Front cover: Product used on Spotted Gum Cladding, Uvex Timber Finish tinted to Light Oak

WHERE TO START... PREPARATION

Preparation is one of the most important jobs undertaken when preserving or enhancing timber. A poorly prepared or unclean surface will compromise the performance of any top coat you may apply, so it's important to follow all the relevant product preparation and application guidelines to get the best outcome for your timber project.

RAPID PREP

For new, unweathered exterior timber

Haymes Woodcare Rapid Prep is a simple to use, one step preparation product for new bare exterior timber. Rapid Prep fast forwards the weathering period to allow for immediate coating of your timber. No more waiting 4-6 weeks until the timber has been weathered naturally.

FEATURES:

- It removes surface tannins and extractives to optimise the performance of the finish coat
- Allows immediate coating onto new timber
- Simple one step preparation

USE ON:

New bare timber

CLEANS UP TO:

30m²/300gm once mixed



[DOWNLOAD](#)
Product Data Sheet / Safety Sheet

WOOD CLEANER

For weathered timber

Haymes Woodcare Wood Cleaner is a powerful, easy-to-use solution that cleans, revives and prepares exterior timber for coating. Preparation with Woodcare Wood Cleaner helps timber absorb the coating and ensures maximum adhesion and performance. It is a vital first step in keeping your timber looking great for longer.

FEATURES:

- Restores grey and weathered timber
- Removes dirt, grease and tannin stains
- Revitalises water-stained or mould affected timber

USE ON:

New, old or weathered exterior timber

CLEANS UP TO:

15m²/L once mixed



[DOWNLOAD](#)
Product Data Sheet / Safety Sheet

WOOD PUTTY

Interior + Exterior

Haymes Woodcare Wood Putty is a water based interior/exterior timber filler, suitable for use with water based or oil based coatings. It can also be used as a grain filler.

FEATURES:

- Easy-to-sand
- Quick-drying

IDEAL FOR:

Decking, cladding, flooring and panelling

SUITABLE SUBSTRATES:

Interior and exterior timber



[DOWNLOAD](#)
Product Data Sheet / Safety Sheet

COLOUR RANGE



Cedar



Hardwood




Jarrah



Merbau



Pine



Walnut

EXTERIOR CHECKLIST



1. CLEAN to remove surface tannins, dirt and extractives.



2. CONDUCT WATER PENETRATION TEST to identify if the timber is ready for coating.



3. CALCULATE to ensure you have the required amount of product for your project.



4. APPLY when weather conditions are favorable.

EXTERIOR TIMBER FINISHES

WATER BASED EXTERIOR TIMBER FINISHES



UVEX TIMBER FINISH SYSTEM: PRIMER + FINISH

Haymes **UVEX** is the premium finish system in our range and delivers a high end result every time.

STEP 1: HAYMES WOODCARE UVEX PRIMER

Haymes Woodcare UVEX Primer plays a vital role in the UVEX Timber Finish System. It provides adhesion, water repellence, mould and fungal protection while stabilising the timber surface to provide a sound foundation for the UVEX Finish top coats.

UVEX Primer can be used as a joinery pre-treatment for temporary protection against cupping and deterioration on timber prior to the application of any other Haymes water based topcoats.

FEATURES:

- Stabilising pre-treatment
- Primes and penetrates

USE ON:

Bare exterior timber

COATS:

1

COVERAGE RATE:

Up to 10m²/L



[DOWNLOAD Product Data Sheet / Safety Sheet](#)

STEP 2: HAYMES WOODCARE UVEX FINISH

Haymes Woodcare UVEX Finish is a premium exterior timber finish that is UV and mould resistant. This long-lasting finish protects against cracking, moisture and abrasion. It is an easy-to-use coating that maintains the timber's natural appearance and requires minimal maintenance.

FEATURES:

- Outstanding durability
- Formulated for Australian conditions
- Highlights timber's natural appearance

FINISH:

Satin

COVERAGE RATE:

Up to 12m²/L

COATS:

2

DURABILITY SCALE:

★★★★



[DOWNLOAD Product Data Sheet / Safety Sheet](#)

NOTE: The UVEX Finish can be used with or without the UVEX Primer when coating bare timber. For high exposure areas and for longer-lasting performance the UVEX Primer is recommended.

WATER BASED EXTERIOR TIMBER FINISHES



DEXPRESS DECK & TIMBER STAIN

Haymes Woodcare Dexpress is an easy-to-use timber finish that lasts 3X longer than traditional decking oils. This UV and mould resistant coating is perfect for preserving hardwood and softwood timbers including Merbau, Spotted Gum and Treated Pine. Dexpress is quick-drying and washes up easily in water.

FEATURES:

- Hard-wearing
- Quick-drying
- Long-lasting cutting-edge formula

IDEAL ON:

Decking, cladding, fences, gates and screens

SUITABLE SUBSTRATES:

Exterior timbers e.g. Merbau, Spotted Gum, Treated Pine

FINISH:

Low sheen

COVERAGE RATE:

Up to 12m²/L

COATS:

2-3

DURABILITY SCALE:



[DOWNLOAD](#)
Product Data Sheet / Safety Sheet

SLIP RESIST NON-SLIP ADDITIVE

Haymes Woodcare Slip Resist is a specifically designed additive for use in selected interior and exterior Haymes Woodcare products to achieve a slip resistant finish.

IDEAL FOR USE IN: UVEX Finish, Dexpress, Aqualac Floor Satin and Easy Floor Satin only.

IDEAL FOR USE ON: Interior and exterior timbers where a slip-resistant finish is required ie; **Exterior:** Timber decking, ramps, walkways.

Interior: Stairs and landings.

MIXING RATIO: 150gm's/4 litres



**Slip Resist complies with
AS 4586: P4 rating**

[DOWNLOAD](#)
Product Data Sheet / Safety Sheet

DID YOU KNOW? You can increase performance by using a colour that matches the type of timber. For example, using **Dexpress Merbau** on Merbau timber.

EXTERIOR TIMBER FINISHES

OIL BASED EXTERIOR TIMBER FINISHES



DECKING OIL

Haymes Woodcare Decking Oil is an oil based timber finish that penetrates surfaces to preserve exterior timber. It creates a protective barrier to repel water and protect timber from mould, algae and UV damage. Tintable to a wide range of colours, Decking Oil is ideal for use as an exterior timber stain.

FEATURES:

- Will not crack or peel
- Penetrates and preserves
- Mould and algae resistant

IDEAL ON:

Decking, walkways, steps and fencing

SUITABLE SUBSTRATES:

Exterior timbers e.g. Merbau, Spotted Gum, Blackbutt

FINISH:

Matt/Natural look

COVERAGE RATE:

Up to 10m²/L

COATS:

2-3

DURABILITY SCALE:



TURPS
WASH-UP



BRUSH



LAMBSWOOL
APPLICATOR



RE-COAT
6 HRS

[DOWNLOAD](#)
Product Data Sheet / Safety Sheet

EXTERIOR VARNISH

Haymes Woodcare Exterior Varnish is a high-gloss finish that incorporates advance UV protection for enhanced, long-lasting performance. This durable, clear coating preserves the natural appearance of timber. **Note:** On bare timber, if staining is required, use Haymes Woodcare Decking Oil prior to top coating with Haymes Woodcare Exterior Varnish.

FEATURES:

- Hard-wearing gloss finish
- UV Protection
- Oil-enriched

IDEAL ON:

Exterior timber; windows, doors, panelling, furniture and trim. *Not suitable for walk on surfaces.*

SUITABLE SUBSTRATES:

Exterior timbers

FINISH:

High gloss

COVERAGE RATE:

Up to 12m²/L

COATS:

3

DURABILITY SCALE:



TURPS
WASH-UP



BRUSH



MOHAIR
ROLLER



AIRLESS
SPRAY



TOUCH DRY
6 HRS



RE-COAT
16 HRS

[DOWNLOAD](#)
Product Data Sheet / Safety Sheet


TIP: Conduct regular inspections and recoat at the first signs of deterioration to maintain protection from harmful UV damage.

EXTERIOR COLOUR RANGE

CHARCOALS / BROWNS



Silver Ash ST



Wenge ST



Charcoal ST



Ebony N



English Tea N



Deep Earth N

BLACKS / GREYS



Black Ink ST



Iron Grey N



Licorice ST



Just Black ST




Deep Weathered Grey ST



Weathered Grey ST

BROWNS



Chocolate N



Rose Walnut N



Dark English Tea N



Deep Walnut N



Contemporary Walnut N



Nordic Teak ST

RUSTIC



Silver Leaf ST



Grey Wash ST



Silver Grey ST



Grey Leaf ST



Soft Stone ST



Admiralty Grey ST



Beige ST



Stone ST

TRADITIONALS



Cedar N



Light Oak N



Dark Oak N



Natural Oak ST



New Teak N



Moccha N



Caramel N



Merbau N

N Tinted from Natural
ST Tinted from Stain Tint Base



Dexpress Natural
on Merbau Timber

INTERIOR TIMBER FINISHES

WATER BASED INTERIOR TIMBER FINISHES



AQUALAC FLOOR

Haymes Woodcare Aqualac Floor is a water based urethane that dries quickly with minimal odour to a completely clear finish. This durable interior floor finish has excellent scratch and mark resistance and is ideal for hard-wearing surfaces including bench tops, furniture, doors and skirting boards. **Note:** Yellowing may occur on light coloured timbers exposed to UV light.

FEATURES:

- Low-odour
- Quick-drying
- Easy to use

IDEAL FOR:

Timber floors, furniture, stairs and bench tops

SUITABLE SUBSTRATES:

Interior timbers

AVAILABLE IN:

Gloss and Satin

COVERAGE RATE:

Up to 14m²/L

COATS:

3

DURABILITY SCALE:



DOWNLOAD
Product Data Sheet / Safety Sheet

AQUALAC FLOOR NON-SLIP

COMPLIES WITH AS 4586: P4 Rating

Haymes Woodcare Aqualac Floor Non-Slip Finish is a premixed slip resistant product ideal for use on stairs, walkways, landings and interior timber where a slip resistant finish is required. Apply only as a final coat in conjunction with Aqualac Floor Satin. Please refer to product data sheet for further information at www.haymespaint.com.au/woodcare

FEATURES:

- Pre-mixed
- Final coat application

USE ON:

Stairs, walkways and landings

COVERAGE RATE:

Up to 14m²/L



DOWNLOAD
Product Data Sheet / Safety Sheet

DID YOU KNOW? A gloss finish will give a shiny appearance and provide depth and clarity, highlighting the timber's natural features. A satin finish is perfect for hiding marks and dust.

INTERIOR TIMBER FINISHES

OIL BASED INTERIOR FLOOR FINISHES

EASY FLOOR

Haymes Woodcare Easy Floor is an easy-to-apply interior coating designed to protect timber floors from wear and tear. This durable finish creates a barrier against abrasion, cracks and chips, and requires minimal ongoing maintenance. It is a tough timber coating that enhances and safeguards the natural beauty of your timber.

FEATURES:

- Hard-wearing
- Enhances and protects
- Easy to clean

IDEAL FOR:

Floors, stairs, skirting boards and bench tops

SUITABLE SUBSTRATES:

Interior timbers

AVAILABLE IN:

Gloss and Satin

COVERAGE RATE:

Up to 15m²/L

COATS:

3

DURABILITY SCALE:



[DOWNLOAD](#)
Product Data Sheet / Safety Sheet

EASY FLOOR NON-SLIP

COMPLIES WITH AS 4586: P4 Rating

Haymes Woodcare Easy Floor Non-Slip Finish is a premixed slip resistant product ideal for use on stairs, walkways, landings, and interior timber where a slip resistant finish is required. Apply only as a final coat in conjunction with Easy Floor Satin finish. Please refer to product data sheet for further information at www.haymespaint.com.au/woodcare

FEATURES:

- Pre-mixed
- Final coat application

USE ON:

Stairs, walkways and landings

COVERAGE RATE:

Up to 15m²/L



[DOWNLOAD](#)
Product Data Sheet / Safety Sheet

TUNG OIL FINISH

Haymes Woodcare Tung Oil Finish is a high-quality tung oil blend, designed to highlight and enhance the natural beauty of timber. It will not crack, chip or bond timber edges together and is easy to maintain with a simple re-application.

FEATURES:

- Satin lustre finish
- Easy to maintain
- Will not crack or chip

IDEAL FOR:

Timber floors, bench tops, furniture, panelling and trim

SUITABLE SUBSTRATES:

Interior timbers

FINISH:

Satin lustre

COVERAGE RATE:

Up to 14m²/L

COATS:

3

DURABILITY SCALE:



[DOWNLOAD](#)
Product Data Sheet / Safety Sheet

INTERIOR CLEAR FINISHES



AQUALAC CLEAR

Haymes Woodcare Aqualac Clear is an easy-to-apply water based coating that preserves the natural colour of interior timber. This low-odour coating is a quick-drying alternative to traditional oil based products. It is an environmentally responsible product that is safe to use in the family home.

FEATURES:

- Non-yellowing
- Quick-drying
- Hard-wearing

IDEAL FOR:

Furniture, panelling, doors and cupboards

SUITABLE SUBSTRATES:

Interior timbers

AVAILABLE IN:

Gloss and Satin

COVERAGE RATE:

Up to 15m²/L

COATS:

2-3

DURABILITY SCALE:



[DOWNLOAD](#)
Product Data Sheet / Safety Sheet

INTERIOR VARNISH

Haymes Woodcare Interior Varnish is an easy-to-use product, suitable for use on natural and stained interior timber. Its hard-wearing finish resists heat and steam, making it ideal for use in areas such as kitchens and bathrooms. This durable coating preserves the natural look of timber and protects against wear and tear.

FEATURES:

- Long-lasting protection
- Easy-to-clean
- Tough durable finish

IDEAL FOR:

Furniture, panelling, doors and cupboards

SUITABLE SUBSTRATES:

Interior timbers

AVAILABLE IN:

Gloss and Satin

COVERAGE RATE:

Up to 15m²/L

COATS:

2-3

DURABILITY SCALE:



[DOWNLOAD](#)
Product Data Sheet / Safety Sheet

INTERIOR STAINS

WOOD STAIN

Haymes Woodcare Wood Stain is a penetrating, oil-based stain designed to add vibrance and colour to your timber preserving its natural character. This easy-to-apply finish will enhance the grain of interior timber and rejuvenate dull timber surfaces. Finish with a Haymes water-based or oil-based interior clear.

FEATURES:

- Simple to apply
- Enhances timber grain
- Ready for use

IDEAL FOR:

Interior furniture, architraves, windows and doors

SUITABLE SUBSTRATES:

Softwood and Hardwood timbers

COVERAGE RATE:

Up to 12m²/L


COATS:

1-2



[DOWNLOAD](#)
Product Data Sheet / Safety Sheet

INTERIOR STAINS – on Radiata Pine



Ebony



Walnut



Mahogany



Jarrah



Blackwood



Teak



Cedar



Maple



Baltic Pine



Liming White

* Colours, stains and visual images shown are as close to actual colour that printing processes allow. All samples are representations only.

INTERIOR CLEAR FINISHES – on Vic Ash



Water based



Solvent-based

DID YOU KNOW? Water based clears are great for retaining the original appearance making them perfect for light coloured timber. Solvent-based are great for enhancing the timber colour as they impart a wet look.

TIP: When staining, ensure you test your colour on an off-cut or inconspicuous area before applying to the project.

Variation in electronic display screens and the printing process can result in a different colour appearance, the colours and images displayed are a guide only. Confirm your colour choice with a sample pot from a Haymes Paint Stockist. The images in this brochure are for illustration purposes only. For up to date product information including surface preparation, application and substrate specifications refer to the applicable Haymes Paint Product Data Sheet prior to selecting and applying products. For any other additional questions regarding product suitability, contact a Haymes Paint Representative on 1800 033 431.

M.G. Design & Building – Torquay / Photographer: Matthew Mallett Photography.

Herbel Constructions – Warragul / Brett Thompson Painting & Decorating. Photography: Martina Gemmola Styling: Ruth Welsby

Brochure Design & Print : 61 Design



Haymes WOODCARE

Haymes Paint, the first family of Australian paint, has been making quality timber finishes for over 70 years, initially supplying French polishers and the furniture industry with lacquers, varnishes and stains.

Haymes Woodcare is a comprehensive range of innovative timber finishes, combining the very latest technology and formulations to protect and enhance the natural beauty of a wide range of timber.

All with the quality you have come to expect from Haymes.

From our family to yours, thank you for choosing to use Haymes Woodcare.

For further information visit haymeswoodcare.com.au or Free call Service Express on **1800 033 431**